


think process!

WP Haton



FF 700

Industrial high-speed Moulder


WP BAKERYGROUP

think process!

FF 700

Picture FF 700

SPECIALLY DESIGNED FOR BAGUETTES



BENEFITS

- Excellent moulding quality
- Easy operation and maintenance
- Modern heavy-duty design in stainless steel
- Low noise level

BASIC EXECUTION:

- Sheeting unit consisting of one pair of sheeting rollers, L=400 mm with an opening till 120 mm, equipped with scrapers
- Sheeting rollers are driven by a motor reductor
- Intelligent positioning/centring device
- Stainless steel curling net
- Stainless steel moulding bridge
- Synthetic moulding belt
- Hinged pressure board, adjustable in height on infeed and out-feed side
- Driven top moulding belt, adjustable in height on infeed and out-feed side
- Side guides, Teflon coated, and adjustable on infeed and out-feed side
- Flour duster with own drive above top moulding belt
- Spreading belts, L=1400 mm with small driven top belt
- Dough piece photo-cell detection with V-flap depositing device
- Cover plates stainless steel, brushed
- Servo drive
- Belt material: synthetic








Illustration FF 700

FF 700

TYPE	WEIGHT RANGE	CAPACITY (FIXED)
FF 700: - in standard execution	100 - 750 gr	< 3000 pcs/h. Moulding length : 150 - 700 mm

DIMENSIONS*	WEIGHT	CONNECTED LOAD
Length 6700 mm	net 720 kg	230/400 V, 50 Hz + earth
Width 1600 mm	gross 880 kg	8,0 kVA
Height 1650 mm	Shipping volume 2,6 m ³	

OPTIONS

- Flour duster with own drive, B=450 mm
- Cutting station 2, 3 or 4 pieces
- Pointed ends system
- Customer specific Blue Box

WP HATON BV

Industrieterrein 13 // 5981 NK Panningen // Netherlands // Phone +31 77307-1860 // Fax +31 77307-5148 // info@wp-haton.com // www.wp-haton.com